Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: MS-belysning

Supplier's address: AS Metall-Service/MS-Belysning, Gardermovegen 95 B, 2030 NANNESTAD, NO

Model identifier: 9400094100

Type	of light	source:
------	----------	---------

ing

control


Type of light source:						
Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	integrated LED					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	No			
Product parameters						
Parameter	Value	Parameter	Value			
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded	7	Energy efficiency class	F			

	nption in on- 00 h), rounded st integer	7	Energy efficiency class	F
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		708 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P _{on}), ex- pressed in W		7,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	505	Spectral power dis-	See image
sions without	Width	23	tribution in the	in last page
separate control gear, light-	Depth	36	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,439		
		nates (x and y)	0,400		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	0	Survival factor	0,90		
the lumen maintenance factor	0,96				

(a)'-': not applicable; (b)'-': not applicable;

Spectrum



Model placed on the Union market from 04/05/2020



EPREL registration number: 2055441 https://eprel.ec.europa.eu/qr/20

55441

Supplier: AS METALL-SERVICE (Importer) Website: www.ms-belysning.no

Customer care service:

Name: AS Metall-Service/MS-Belysning Website: www.ms-belysning.no

Email: post@ms-belysning.no Phone: +4763888500

Address:

Gardermovegen 95 B 2030 NANNESTAD

Norway