## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources


| sources  | LLLOAILD KLOOI   | -AHON (EU) 2019/2           | 015 with regard to energ   | gy labelling of light |  |  |
|--|------------------|-----------------------------|--|-----------------------|--|--|
| Supplier's name  | e or trade mark: | Duxa                        |  |                       |  |  |
| Supplier's address: ITP service, Wlhavens vei 5, 4319 Sanednes, NO   |                  |                             |  |                       |  |  |
| Model identifie  | er: 32006008     |                             |  |                       |  |  |
| Type of light so   | urce:            |                             |  |                       |  |  |
| Lighting technology used:  |                  | LED                         | Non-directional or directional:  | NDLS                  |  |  |
| Light source cap-type  |                  | LED light strip             |  |                       |  |  |
| (or other electric interface)  |                  |                             |  |                       |  |  |
| Mains or non-mains:  |                  | NMLS                        | Connected light source (CLS):  | No                    |  |  |
| Colour-tuneable light source:  |                  | No                          | Envelope:  | -                     |  |  |
| High luminance light source:   |                  | No                          |  |                       |  |  |
| Anti-glare shield:   |                  | No                          | Dimmable:  | No                    |  |  |
|  |                  | Product para                |  | T .                   |  |  |
| Parameter  |                  | Value                       | Parameter  | Value                 |  |  |
|  |                  | General product p           |  | _                     |  |  |
| Energy consumption in on-mo-<br>de (kWh/1000 h), rounded up to<br>the nearest integer  |                  | 14                          | Energy efficiency class  | F                     |  |  |
| Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) |                  | 1 330 in Sphe-<br>re (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 6 500                 |  |  |
| On-mode power (P <sub>on</sub> ), ex-<br>pressed in W  |                  | 10,0                        | Standby power (P <sub>sb</sub> ),<br>expressed in W<br>and rounded to the<br>second decimal  | 0,00                  |  |  |
| Networked standby power (P <sub>n-et</sub> ) for CLS, expressed in W and rounded to the second decimal                               |                  | -                           | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-va-<br>lues that can be set   | 83                    |  |  |
| Outer di-  | Height           | 800                         | Spectral power dis-  | See image             |  |  |
| mensions without separate control gear, lighting   | Width<br>Depth   | 600<br>34                   | tribution in the range 250 nm to 800 nm, at full-load  | in last page          |  |  |

| control parts and non-ligh- ting control parts, if any (millimetre) |      |                                    |                |  |  |  |
|---|------|------------------------------------|----------------|--|--|--|
| Claim of equivalent power <sup>(a)</sup>                            | -    | If yes, equivalent po-<br>wer (W)  | -              |  |  |  |
|   |      | Chromaticity coordinates (x and y) | 0,320<br>0,330 |  |  |  |
| Parameters for LED and OLED light sources:                          |      |                                    |                |  |  |  |
| R9 colour rendering index value                                     | 3    | Survival factor                    | 0,90           |  |  |  |
| the lumen maintenance factor  | 0,96 |                                    |                |  |  |  |

(a)'-': not applicable; (b)'-': not applicable;

## LIGHT SOURCES INFORMATION SHEET

Spectral power distribution in the range 250 nm to 800 nm, at full-load



Model placed on the Union market from 15/11/2024.



**EPREL registration number:** 2196350 https://eprel.ec.europa.eu/qr/21

96350

Supplier: ITP AS (Importer) Website: https://itp-group.org

**Customer care service:** 

Name: ITP service Website: https://itp-group.org/nordic

-bath/

Email: post@itpgroup.no Phone: 51212215

Address:

Wlhavens vei 5 4319 Sanednes

Norway