Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light


sources	PELEGATED REGUI	LATION (EU) 2019/2	015 with regard to energ	gy labelling of light
Supplier's name	e or trade mark:	Duxa		
Supplier's addre	ess: ITP service, \	Wlhavens vei 5, 431	9 Sanednes, NO	
Model identifie	er: 34006008			
Type of light so	urce:			
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		LED light strip		
(or other electric interface)				
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable light source:		No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	Yes
		Product para	T	T
Parameter		Value	Parameter	Value
_		General product p	T	
Energy consumption in on-mo- de (kWh/1000 h), rounded up to the nearest integer		8	Energy efficiency class	F
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		825 in Sphe- re (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000 or 6 500
On-mode power (P _{on}), expressed in W		5,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P _{n-et}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-va- lues that can be set	83
Outer di-	Height	600	Spectral power dis-	See image
mensions wit-	Width	600	tribution in the ran-	in last page
hout sepa- rate control gear, lighting	Depth	34	ge 250 nm to 800 nm, at full-load	

control parts and non-ligh- ting control parts, if any (millimetre)						
Claim of equivalent power ^(a)	-	If yes, equivalent po- wer (W)	-			
		Chromaticity coordi-	0,430			
		nates (x and y)	0,400			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	3	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;

LIGHT SOURCES INFORMATION SHEET

Spectral power distribution in the range 250 nm to 800 nm, at full-load



Model placed on the Union market from 15/11/2024.



EPREL registration number: 2196008 https://eprel.ec.europa.eu/qr/21

96008

Supplier: ITP AS (Importer) Website: https://itp-group.org

Customer care service:

Name: ITP service Website: https://itp-group.org/nordic

-bath/

Email: post@itpgroup.no Phone: 51212215

Address:

Wlhavens vei 5 4319 Sanednes

Norway