
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources	PELEGATED REGUL	-AITON (EU) 2019/2	015 with regard to energ	gy labelling of light		
Supplier's name	e or trade mark:	Duxa				
Supplier's address: ITP service, Wlhavens vei 5, 4319 Sanednes, NO						
Model identifie	er: 38005008					
Type of light so	urce:					
Lighting technology used:		LED	Non-directional or directional:	NDLS		
Light source cap-type		LED light strip				
(or other electric interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Yes		
		Product para				
Parameter		Value	Parameter	Value		
		General product p		_		
Energy consumption in on-mo- de (kWh/1000 h), rounded up to the nearest integer		27	Energy efficiency class	F		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		2 750 in Sphe- re (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000 or 6 500		
On-mode power (P _{on}), ex- pressed in W		10,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00		
Networked standby power (P _{n-et}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-va- lues that can be set	83		
Outer di-	Height	900	Spectral power dis-	See image		
mensions without separate control gear, lighting	Width Depth	500 34	tribution in the range 250 nm to 800 nm, at full-load	in last page		

control parts and non-ligh- ting control parts, if any (millimetre)						
Claim of equivalent power ^(a)	-	If yes, equivalent po- wer (W)	-			
		Chromaticity coordi-	0,440			
		nates (x and y)	0,400			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	3	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable; Spectral power distribution in the range 250 nm to 800 nm, at full-load



Model placed on the Union market from 15/11/2024.



EPREL registration number: 2196254 https://eprel.ec.europa.eu/qr/21

96254

Supplier: ITP AS (Importer) Website: https://itp-group.org

Customer care service:

Name: ITP service Website: https://itp-group.org/nordic

-bath/

Email: post@itpgroup.no Phone: 51212215

Address:

Wlhavens vei 5 4319 Sanednes

Norway